While a protected area has a primary conservation objective (i.e., is dedicated towards the conservation of biodiversity), an OECM is an area that delivers effective and long term *in-situ* conservation of biodiversity *regardless of its management objectives*. Like protected areas, OECMs occur under diverse forms of governance: by government agencies, private actors, Indigenous peoples and/or local communities, or in shared arrangements. Protected areas and OECMs complement each other to protect and conserve important biodiversity through well-connected conservation networks.

- OECMs will effectively protect one or more of the following:
- Rare, threatened or endangered species and habitats, and the ecosystems that support them, including species and sites identified on the IUCN Red List of Threatened Species, Red List of Ecosystems, or national equivalents.
- Representative natural ecosystems.
- Areas with high level of ecological integrity or ecological intactness, which are characterised by the occurrence of the full range of native species and supporting ecological processes.
- Range-restricted species and ecosystems in natural settings.
- Important species aggregations, including dur598Q275 31yspecies aggegations, incluxdi

Characteristics of OECMs

All potential OECMs should achieve the long term *in-situ* conservation of important biodiversity. Identification and recognition of OECMs should be rights-based and done with full consultation and consent of the governing agency; this is especially important in relation to areas and territories of Indigenous peoples and local communities.

OECMs fall into three categories:

. Areas that deliver *in-situ* conservation as a by-product of management activities, even though biodiversity conservation is not a management objective. Examples may include sacred natural sites, shipwrecks, or industrial and military areas that conserve important biodiversity long-term.

. Areas where biodiversity conservation may be a secondary objective. For example, protection and management of watersheds or wetlands to protect biodiversity in addition to protection of water resources. Sites managed to provide ecological connectivity between protected areas or other areas of high biodiversity, thereby contributing to their viability, may also qualify as OECMs.

. Areas governed by government agencies, private actors or Indigenous peoples and local communities that conform to the IUCN definition of a protected area, but which are not currently designated and reported as protected areas. Some of these areas may later be recognised as protected areas if the governance body agrees.

NB: For a site in any of these categories to be considered as an OECM, it should be fully assessed at the local level, in consultation with local stakeholders and with the free, prior and informed consent of the relevant governance authority.

IDENTIFYING OECMs

The identification of OECMs offers a significant opportunity to recognise *de facto,* effective and long-term conservation that is taking place outside currently designated protected areas, under a range of governance and management regimes. OECMs may be managed, by a diverse set of actors including Indigenous peoples and local communities, private sector actors and government agencies not normally associated with area-based conservation.

- Privately conserved areas, managed with a specific conservation objective, but which are not recognised as protected areas under national legislation.
- Military lands and waters that are managed for the purpose of defence, but also achieve the long-term conservation of natural ecosystems and important biodiversity.
- Coastal and marine areas protected for reasons other than conservation, but that nonetheless achieve the *in-situ* conservation of biodiversity (e.g., historic shipwrecks, etc.).
- Permanent or long-term fisheries closure areas designed to protect complete ecosystems for stock recruitment or to protect specialised ecosystems and their full complement of species.
- Freshwater and coastal wetlands restored for flood protection, but which protect important habitats, species and ecosystem services.
- Watersheds or other areas managed primarily for water resource management that also result in the *in-situ* conservation of important biodiversity.
- Some permanently set-aside areas of managed forest, such as old-growth, primary, or other high-biodiversity value forests, which are protected from both forestry and non-forestry threats.
- Urban parks managed primarily for public recreation, but which include large areas of natural habitats (e.g., native grassland, wetlands) and are managed to maintain these biodiversity values.
- Hunting reserves that maintain natural habitats and other flora and fauna as well as viable populations of hunted and non-hunted native species.

AREAS THAT ARE UNLIKELY TO QUALIFY AS OECMs

Areas and management regimes that are unlikely to qualify as OECMs include:

- Small, semi-natural areas within an intensively managed landscape with limited biodiversity conservation value.
- Forests that are managed commercially for timber supply and are intended for logging, even though they may support some species of interest.
- Fishery closures, and other fisheries management tools, including, but not limited to, temporary set asides or gear restriction areas with a single species, species group, or habitat focus, that may be subject to periodic exploitation and/or be defined for stock management purposes, and that do not deliver *in-situ* conservation of the associated ecosystems, habitats and species with which target species are associated.
- Agricultural lands which are managed in a manner that provide some limited benefits for the *in-situ* conservation of biodiversity, including temporary agricultural set asides, summer fallow and grant-maintained changes to agricultural practice that may benefit biodiversity.
- Conservation measures that apply to a single species or group of species, over a wide geographical range such as hunting regulations or whale-watching rules; these are better considered as being part of wider species conservation measures.

RECOGNISING AND SUPPORTING OECMs

Identification of OECMs should be followed up by processes to determine appropriate kinds of recognition for the site (including legal, policy or institutional forms of recognition) as well as support (monetary and/or non-monetary) and development of effective monitoring systems. This recognition and support should aim to enhance the governance capacity of their legitimate authorities and secure positive and sustained outcomes for biodiversity. While national circumstances will differ, any related