

Protected and conserved areas are irreplaceable tools for

0.7%
50%

(CC)

C C ,

C

A

. Protected and conserved areas (protected areas and other effective area-based conservation measures or OECMs), when well resourced, are proven, long-term tools

A

C

1.

B

2. E

BF

3.

BF

2)

4. E

5.

(

BF

4)

!

!"

!

(B A)
(CBD),
(DC)

F

C

B A

:

E

BF

C

DC .

C

C

D

(FCCC).

A

B

C

D

E

EC ,

Suggested citation: Dudley, N., Rao, M., Zeng, Y. and Watson, J.E.M. (2024).

. IUCN

WCPA Technical Note No. 15. Gland, Switzerland: IUCN.

Acknowledgements: Thanks to Risa Smith and Stephen Woodley for reviewing an earlier draft.

References

¹ IPCC. 2021.

, V. Masson-Delmotte, et al. (eds.). Cambridge University Press. <https://doi.org/10.1017/9781009157896>

² Hong, C., Burney, J.A., Pongratz, J., Nabel, J.E.M.S., Mueller, N.D., Jackson, R.B. and Davis, S.J.

Edwards, M., Konar, B., Kim, J.-H., Gabara, S., Sullaway, G. ... Small, S. 2020. Marine deforestation leads to widespread loss of ecosystem function. **15** (3): e0226173.
<https://doi.org/10.1371/journal.pone.0226173>
Poulter, B., Fluet-

!

² Geldmann, J., Coad, L., Barnes, M.D., Craigie, I.D., Woodley, S. ... Burgess, N.D. 2015. A global

%!

!

⁴⁵ Naidoo, R., Gerkey, D., Hole, D., Pfa , A., Ellis, A.M. ... Fisher, B. 2019. Evaluating the impacts of protected areas on human well-being across the developed world. 5 (4):